element system®

Our staff will gladly help you

alfer® aluminium Gesellschaft mbH
Industriestraße 7
D-79793 Wutöschingen
www.alfer.com
info@alfer.com

element system®

CLASSIC & EASY

WALL UPRIGHTS, BRACKETS AND ACCESSORIES



high-quality

expandable

fast & simple assembly

functional & practical


ELEMENT SYSTEM the company

- Legacy expertise – quality and function since 1954
- Durability and sustainability
- Premium product
- In-House product development and quality control
- European market leader in steel-made shelf and storage systems for the consumer
- Reliable, service-oriented and innovativew




It´s so **EASY**:

With CLASSIC System and EASY System you can easily and simply build up your individual shelf.
The best thing: It is done in just two steps.



WALL UPRIGHT/WALL RAIL

1. Fix wall uprights or wall rail on the wall.



ACCESSORIES

2. Flexibly hang up accessories and make space.


KRUPS
THAI JASMINE RICE

WALL UPRIGHT SINGLE



- The single slotted wall upright is the tried and tested starter unit. Combined with the double slotted wall upright (Page 6) it can be used for instance as a lateral end element for wall-mounted shelving units.
- The wall upright can be assembled together with all brackets grid 50 (Page 16-19) and with book ends grid 50 (Page 24).

Pack unit	Dimensions H	Colour selection
1 piece or 2 pieces	145 mm 500 mm 1000 mm 1500 mm 2000 mm 2500 mm	White Black Matt black White alu.

WALL UPRIGHT DOUBLE



- The double-slotted wall uprights permit shelves, baskets etc. to be positioned on the same level.
- The double-slotted wall upright can be assembled together with all grid 32 brackets (Page 16-19) and bookends (Page 24).

Pack unit	Dimensions H x D	Colour selection
1 piece or 2 pieces	220 mm 450 mm 950 mm 1400 mm 2060 mm 2290 mm	White Black Matt black White alu.

WALL UPRIGHT DOUBLE



- The double-slotted wall uprights allow shelves and baskets to be positioned together on the same level.
- The double-slotted wall upright can be assembled together with all grid 50 brackets (Page 16-19) and bookends (Page 24).

Pack unit	Dimensions H	Colour selection
1 piece or 2 pieces	500 mm 1000 mm 1500 mm 2000 mm 2500 mm	White Black Matt black White alu.

55 kg / 200 mm.
Load specifications for concrete walls, provided that the wall uprights is screwed to the wall through all drill holes.


LEMONA D+
kola
kola
kola

QUICKLY AND EASILY ASSEMBLED

1. Screw wall rail horizontally





2. Hang the hang upright, horizontal adjustable, fix with only two screws






YOUR ADVANTAGES

- Fast and simple assembly due to hanging system
- Easy alignment and measuring of the wall rail
- No measuring of the borehole spacing
- Minimal drilling effort
- Easy assembly by only one person

WALL RAIL



- Horizontal mounting on the wall.
- Basic element for suspension of the hang upright.

Pack unit	Dimensions H	Load max.	Colour selection
1 piece	1016 mm	150 kg	White
	2032 mm	300 kg	White alu.

150 kg with 1016 mm wall rail.
300 kg with 2032 mm wall rail.
Load specifications for concrete walls, provided that the wall rail is screwed to the wall through all drill holes.

HANG UPRIGHT DOUBLE



- For suspension in wall rail.
- The hang upright can be suspended with any optional spacing in the wall rail.
- Horizontal and vertical shelf support locking system.
- Simple alignment along the wall rail.
- Should be fixed to wall using at least 2 screws.
- Uncomplicated, fast adjustment to variable shelf grid dimensions.
- The double-slotted hang upright can be assembled together with all grid 50 brackets and bookends (Page 16-19).

Pack unit	Dimensions H	Colour selection
1 piece	1200 mm	White
	2000 mm	White alu.

HANG UPRIGHT DOUBLE




- For suspension in wall rail.
- The hang upright can be suspended with any optional spacing in the wall rail.
- Horizontal and vertical shelf support locking system.
- Simple alignment along the wall rail.
- Should be fixed to wall using at least 2 screws.
- Uncomplicated, fast adjustment to variable shelf grid dimensions.
- The double-slotted hang upright can be assembled together with all grid 32 brackets and bookends (Page 16-19).

Pack unit	Dimensions H	Colour selection
1 piece	1200 mm	White
	2000 mm	White alu.




PRO-BRACKET



- Safety brackets and shelf support locking system.
- Can be assembled with all CLASSIC 50 (Page 6) and EASY 50 wall uprights (Page 12)
- Can be used for steel shelf (Page 26) and wooden or glass shelves in conjunction with single-sided or double-sided clip-on holder (Page 32).
- For glass shelves, suction pads available (Page 32).

Pack unit	Dimensions D	Load max.	Colour selection
1 piece	150 mm 200 mm 250 mm 300 mm 350 mm 400 mm 500 mm	60 kg	White Black Matt black White alu.


BRACKET



- Can be mounted with all wall uprights CLASSIC 32 (Page 6) and EASY 32 (Page 12).
- Can be used for steel shelf (Page 26) and wooden or glass shelves in conjunction with single-sided or double-sided clip-on holder (Page 32).
- For glass shelves, suction pads available (Page 32).

Pack unit	Dimensions D	Load max.	Colour selection
1 piece	200 mm 250 mm 300 mm 350 mm 400 mm	35 kg	White Matt black White alu.


TWIN WIRE SHELF BRACKET



- Bracket for TWIN wire shelf (Page 26).
- Can be assembled with all double-slotted CLASSIC 50/32 (Page 6) and EASY 50/32 (Page 12).


Pack unit	Dimensions D	Load max.	Colour selection
1 piece	320 mm 420 mm	30 kg	White Matt black White alu.

ANGLE BRACKETS




- Using a left-hand and a right-hand version of the bracket creates an attractive appearance for the end of the shelving unit.
- The angle bracket is suitable for supporting wooden shelves.
- Can be assembled with all CLASSIC 50 (Page 6) and EASY 50 (Page 12).


Pack unit	Dimensions D	Load max.	Colour selection
2 pieces in pairs	180 mm 230 mm 280 mm 330 mm 380 mm 480 mm	55 kg 65 kg	White Black Matt black White alu.




CLOTHES BRACKET	Pack unit	Dimensions D	Load max.	Colour selection
■ Can be used in conjunction with clothes rail (Page 22) as a coatrack and cabinet mounting system. ■ Can be assembled with all CLASSIC 50 (Page 6) and EASY 50 (Page 12).	1 piece	250 mm 330 mm	30 kg	White Matt black White alu.



CLOTHES BRACKET	Pack unit	Dimensions D	Load max.	Colour selection
■ Can be used in conjunction with clothes rail (Page 22) as a coatrack and cabinet mounting system. ■ Can be assembled with all CLASSIC 32 (Page 6) and EASY 32 (Page 12).	1 piece	330 mm	30 kg	White White alu.




U-BRACKET	Pack unit	Dimensions D	Load max.	Colour selection
■ Can be mounted with double-slotted upright grid 50 (Page 6,12). ■ Can be used with wooden and glass shelves in conjunction with single-sided or double-sided insert holder (Page 34). ■ For glass shelves, suction pads available (Page 32).	1 piece	170 mm 220 mm 270 mm 370 mm 470 mm	55 kg	White Black Matt black White alu.



U-BRACKET	Pack unit	Dimensions D	Load max.	Colour selection
■ Can be mounted with double-slotted upright grid 32 (Page 6,12). ■ Can be used with wooden shelves in conjunction with insert holder for U-bracket (Page 34).	1 piece	170 mm 220 mm 270 mm 320 mm 370 mm 470 mm 570 mm	55 kg	White Black Matt black White alu.




LAURA COAT HANGER BAR



- Ensures optimum airing of clothes indoors.
- The hinging support arm is produced from hard-wearing steel.

Pack unit	Dimensions H x D	Load max.	Colour selection
1 piece	300 mm	10 kg	White

CLOTHES RAIL



- By mounting on the clothes rail bracket (Page 18) a fully functional cupboard and wardrobe element is created.


Pack unit	Dimensions W x H x D	Colour selection
1 piece	800 x 20 x 35 mm 1000 x 20 x 35 mm	Chrome

END CAPS FOR CLOTHES RAIL



- Attractive end element for clothes rails (Seite 22).
- The end caps also prevent hangers from slipping off the rail.
- Material: Plastic.


Pack unit	Dimensions H x D	Colour selection
2 pieces in pairs	35 x 20 mm	Window-grey White



BOOK END KARTHAGO

Pack unit	Dimensions H x D	Colour selection
1 piece	118 x 143 mm	White Black Matt black White alu.


- This book end can be assembled with all CLASSIC 50 (Page 6) and EASY 50 (Page 12) wall uprights by simply plugging into place.



BOOK END

Pack unit	Dimensions H x D	Colour selection
1 piece	120 x 130 mm	White Black Matt black White alu.

- This book end also fits into even the smallest shelf and is clamped between the book and the shelf.




STEEL SHELF

Pack unit	Dimensions W x D	Load max.	Colour selection
2 pieces in pairs	800 x 200 mm 800 x 250 mm 800 x 300 mm 800 x 350 mm	20 kg 30 kg	White White alu. Matt black

- The steel shelves can be simply inserted on the pro-bracket or bracket without the need for tools.
- Their washable surface makes them ideally suited for wide-ranging applications.
- Can be assembled with pro-bracket and bracket (Page 16).

WIRE BASKET WITH BRACKETS

Pack unit	Dimensions W x D x H	Load max.	Colour selection
1 piece	800 x 350 x 120 mm	18 kg	White White alu.



- The wire basket, which is supplied inclusive of two brackets, creates space for all types of storage and is assembled by simply inserting into position.
- Can be mounted with all wall and hang uprights

PULL-OUT WIRE BASKET WITH BRACKETS


Pack unit	Dimensions W x D x H	Load max.	Colour selection
1 piece	800 x 350 x 120 mm	18 kg	White White alu.



- Simple fixing to uprights by integrated brackets.
- Pull out function for easy access.
- Extendable from a depth between 380 mm - 590 mm
- Can be mounted with all wall and hang uprights.

TWIN WIRE SHELF


Pack unit	Dimensions W x D	Load max.	Colour selection
1 piece	600 x 400 mm 800 x 300 mm 800 x 400 mm	20 kg	White White alu. Matt black



- Assembly of the TWIN wire shelves is only possible with the special wire shelf bracket (Page 16).
- To ensure adequate stability over the 1800 mm length, three wire shelf brackets must be used. This will prevent the shelves from bending in the middle.
- The wire shelf is firmly connected to the bracket by being clicked into place, so preventing any possibility of slippage.


CROSS-SCREWS AND DOWELS

	Pack unit	Dimensions L, diameter	Colour selection
■ The screws and dowels are suitable for mounting wall uprights, hang uprights and wall rails.	18 pieces 18 pieces	Screw (cross): 60 mm, Ø 4.5 mm Dowels: 30 mm, Ø 6.0 mm	Galvanize Plastic



TORX-SCREWS AND DOWELS

	Pack unit	Dimensions L, diameter	Colour selection
■ The screws and dowels are suitable for mounting wall uprights, hang uprights and wall rails. ■ Suited for concrete walls.	18 pieces 18 pieces	Screw (torx): 60 mm, Ø 4.5 mm Dowels: 30 mm, Ø 6.0 mm	Galvanize Plastic




CROSS-SCREWS FOR U-BRACKETS

	Pack unit	Dimensions L, diameter	Colour selection
■ This screw kit is used to fasten wooden shelving to U-brackets (Page 18).	20 pieces 20 pieces	Screw (cross) 30 mm, Ø 3,5 mm 47 mm, Ø 3,5 mm	Galvanize Galvanize Black matt Black matt





ASSEMBLY: CLASSIC & EASY







mm
inch







CLASSIC










EASY



max








CLASSIC

55 kg/200 mm



EASY

